

## **APPARATUS AND METHOD FOR AUTOMATICALLY IMPROVING A SET OF INITIAL RETURN ON INVESTMENT CALCULATOR TEMPLATES**

### **FIELD OF THE INVENTION**

**[0001]** The present invention is directed generally at a system for improving the accuracy of data templates and specifically at a system for improving return of investment templates used in consulting services.

### **BACKGROUND OF THE INVENTION**

**[0002]** Companies create mathematical models of their business processes in order to predict the outcome of changes to the processes. Frequently, the companies hire consultants to create the models. The use of consultants is beneficial to the company because the consultants have developed accurate mathematical models for the processes of the numerous companies that they have studied. The mathematical models, generally called templates, contain a multiplicity of parameters which must be adjusted for the individual company's industry, location, clients, employees, and other factors. If the input data for the template is accurate, then the template can accurately predict the outcome of changes to the company's processes.

**[0003]** One of the most frequently used templates is a return on investment (ROI) template. A ROI template calculates the amount of money a company will have to spend for a certain process upgrade which reduces the company's operating or processing costs. ROI templates for a computer system upgrade would include industry and context values (information on tax rates, labor rates, etc.), computing cluster values (information on the number of CPUs, their speed, and their memory), application values (information on how the applications are executed), the types of computers the company uses, and organizational data about the computer

system. Perhaps the most important aspect of the ROI template is that it calculates the time required to recapture the money expended in the process upgrade. If a consultant has accurate data regarding the input costs, and the ROI template is accurate in modeling the company's processes, then the template can accurately predict the cost savings and the company's return on its investment in the process upgrade. Consequently, consultants expend significant amounts of time and energy in modifying the templates so that they accurately model the company's processes. Therefore, a need exists for a method of capturing the consultants' modifications to the default template and rating the effectiveness of the consultants' modifications.

**[0004]** While many consultants modify the default templates for their customers, consulting firms are particularly interested in the modified templates which most accurately reflect the customer's processes. If a particular modification were more accurate than the default template, then it would be useful to update the default template to reflect the more accurate modified template. Sometimes, the extent of the modifications to the templates signifies the need to create a new default template. Therefore, a need exists for a method of analyzing the modified templates and using the modified templates to update the default template and create new templates.

**[0005]** The prior art has previously addressed the problem of updating templates. For example, United States Patent 6,338,149 (the '149 patent) entitled "Change Monitoring System for a Computer System" discloses a method for detecting changes to templates in a computer network. The '149 patent reviews the modifications to the templates and determines if they are desirable. What is needed beyond the '149 patent is a system for rating the effectiveness of the templates and using the modified templates to update the default template and create new templates.

### SUMMARY OF THE INVENTION

**[0006]** The present invention, which meets the needs stated above, is a method for updating the return on investment (ROI) templates used by business consultants. The software embodiment of the present invention comprises a Template Evaluation Program (TEP) and a Template Analysis Program (TAP). The TEP compares the default template to the templates modified by the consultants for the customer's ROI analysis. The TEP then assigns an effectiveness factor to the modified templates based on the number of modifications that the consultant had to make to the default template. The TEP may be a manual or an automated process.

**[0007]** The TAP collects the modified templates and the effectiveness factors and develops a data list from the default templates and the effectiveness factors. For each parameter in the default template, the TAP plots the data from the modified templates on a histogram. The TAP also performs a statistical analysis for the data points for each parameter. If the data for the parameter forms a normal distribution curve with a single peak or a curve determined to be sufficiently close to a normal distribution curve, then the TAP averages the data points with the parameter value in the default template to produce an updated template value. If the data forms more than one peak on the histogram, the TAP determines if one of the averages of one of the peaks is within one standard deviation (or some other user configurable threshold) of the default parameter value. If so, then the data for that peak is averaged into the default template to create an updated template. The TAP then performs a statistical analysis on the remaining peaks. If the standard deviation for any peak is less than a template creation threshold, then the TAP creates a new template using the average of the analyzed peak data for the new template parameter value.

The TAP continues the analysis for every parameter in the template until all of the parameters have been analyzed.

### **BRIEF DESCRIPTION OF THE DRAWINGS**

[0008] The novel features believed characteristic of the invention are set forth in the appended claims. The invention itself, however, as well as a preferred mode of use, further objectives and advantages thereof, will best be understood by reference to the following detailed description of an illustrative embodiment when read in conjunction with the accompanying drawings, wherein:

[0009] FIG. 1 is an illustration of the computer network associated with the present invention;

[0010] FIG. 2 is an illustration of a computer associated with the present invention;

[0011] FIG. 3 is an illustration of the logic of the Template Evaluation Program (TEP) of the present invention;

[0012] FIG. 4 is an illustration of a portion of the template of the present invention;

[0013] FIG. 5 is an illustration of a portion of the template of the present invention;

[0014] FIG. 6 is an illustration of a portion of the template of the present invention;

[0015] FIG. 7 is an illustration of a portion of the template of the present invention;

[0016] FIG. 8 is an illustration of a portion of the template of the present invention;

[0017] FIG. 9 is an illustration of a portion of the template of the present invention;

[0018] FIG. 10 is an illustration of the logic of the Template Analysis Program (TAP) of the present invention;

[0019] FIG. 11 is an illustration of the single peak histogram associated with the present invention; and

[0020] FIG. 12 is an illustration of the double peak histogram associated with the present invention.

#### **DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT**

[0021] As used herein, the term “analyze” shall mean to perform a statistical evaluation of a set of data.

[0022] As used herein, the term “computer” shall mean a machine having a processor, a memory, and an operating system, capable of interaction with a user or other computer, and shall include without limitation desktop computers, notebook computers, personal digital assistants (PDAs), servers, handheld computers, and similar devices.

[0023] As used herein, the term “default template” shall mean a template in which the parameter values are determined prior to template distribution.

[0024] As used herein, the term “effectiveness factor” shall mean a quantitative measure of the extent of modification of a default template.

[0025] As used herein, the term “modify” shall mean to change the parameter values in a template by a consultant or other user.

[0026] As used herein, the term “modified template” shall mean a template which has been modified by a consultant.

[0027] As used herein, the term “new template” shall mean a template created by the present invention.

[0028] As used herein, the term “parameter” shall mean an input variable for a template.

**[0029]** As used herein, the term “template” shall mean a mathematical device which uses a plurality of parameters to calculate a desired output.

**[0030]** As used herein, the term “template creation threshold” shall mean a criterion used to determine whether a new template should be created.

**[0031]** As used herein, the term “update” shall mean to change the parameter values in a template.

**[0032]** As used herein, the term “updated template” shall mean a template updated by the present invention.

**[0033]** As used herein, the term “value” shall mean a numerical entry into a template for a parameter.

**[0034]** FIG. 1 is an illustration of computer network **80** associated with the present invention. Computer network **80** comprises local computer **85** electrically coupled to network **86**. Local computer **85** is electrically coupled to remote computer **84** and remote computer **83** via network **86**. Local computer **85** is also electrically coupled to server **81** and database **82** via network **86**. Network **86** may be a simplified network connection such as a local area network (LAN) or may be a larger network such as a wide area network (WAN) or the Internet. Furthermore, computer network **80** depicted in FIG. 1 is intended as a representation of a possible operating network that may contain the present invention and is not meant as an architectural limitation.

**[0035]** The internal configuration of a computer, including connection and orientation of the processor, memory, and input/output devices, is well known in the art. The present invention is a methodology that can be embodied in a computer program. Referring to FIG. 2, the methodology of the present invention is implemented on software by Template Evaluation

Program (TEP) **200** and Template Analysis Program (TAP) **300**. TEP **200** and TAP **300** described herein can be stored within the memory of any computer depicted in FIG. 1. Alternatively, TEP **200** and TAP **300** can be stored in an external storage device such as a removable disk, a CD-ROM, or a USB storage device. Memory **100** is illustrative of the memory within one of the computers of FIG. 1. Memory **100** also contains default template **130** and modified templates with effectiveness factor **140**. The present invention may interface with default template **130** and modified templates with effectiveness factor **140** through memory **100**. TEP **200** and/or TAP **300** may produce the effectiveness factor in modified templates with effectiveness factor **140**, updated templates **150**, and/or new templates **160**. As part of the present invention, the memory **100** can be configured with TEP **200** and/or TAP **300**. Processor **106** can execute the instructions contained in TEP **200** and/or TAP **300**. Processor **106** and memory **100** are part of a computer such as remote computer **83** in FIG. 1. Processor **106** can communicate with other computers via network **86**.

[0036] In alternative embodiments, TEP **200** and/or TAP **300** can be stored in the memory of other computers. Storing TEP **200** and/or TAP **300** in the memory of other computers allows the processor workload to be distributed across a plurality of processors instead of a single processor. Further configurations of TEP **200** and/or TAP **300** across various memories are known by persons of ordinary skill in the art.

[0037] Turning to FIG. 3, the logic of Template Evaluation Program (TEP) **200** is illustrated. TEP **200** is a program that allows a consultant or other user to rate the effectiveness of the default template and calculate the effectiveness factor. Alternatively, the consultant could manually assign an effectiveness factor to the default template. The effectiveness factor is initially set to zero and TEP **200** adds points to the effectiveness factor based on the consultant's

modification of the default template. The assignment of the specific number of points to each element listed below is configurable to user-specific applications. Thus, a person of ordinary skill in the art can choose to assign more points to some elements herein than others. The example illustrated in FIG. 3 applies to a default template for grid computing services. TEP 200 begins (202) when the consultant desires to evaluate the effectiveness of the default template. TEP 200 compares the default template to the template the consultant modified for use with the customer (204). TEP 200 makes a determination whether the consultant modified the values in the default template (206). If desired, at step 206 TEP 200 can alternately determine if the consultant modified the template values more than a selected percentage (i.e. ten percent). If TEP 200 determines that the consultant did not modify the template values, then TEP 200 adds one point to the effectiveness factor (208) and proceeds to step 210. Template values may be like parameters 132 in default template 130, illustrated in FIGS. 4-6.

[0038] At step 210, TEP 200 determines if the applications in the template were accurate (210). If the applications in the template were accurate, then TEP 200 adds a point to the effectiveness factor (212) and proceeds to step 214. The accuracy of the applications may be configured by changing parameters 134 for the application in default template 130, illustrated in FIG. 7. At step 214, TEP 200 determines if the computers in the template were accurate (214). If the computers in the template were accurate, then TEP 200 adds a point to the effectiveness factor (216) and proceeds to step 218. The accuracy of the computers may be configured by changing parameters 136 for the computer in default template 130, illustrated in FIG. 8. At step 218, TEP 200 determines if the Information Technology (IT) infrastructure in the template was accurate (218). If the IT infrastructure in the template was accurate, then TEP 200 adds a point to the effectiveness factor (220) and proceeds to step 222. The accuracy of the applications may



be configured by changing layout 138 of the IT infrastructure in default template 130, illustrated in FIG. 9. At step 222, TEP 200 determines if the customer purchased the consultant's services (222). If the customer purchased the consultants services, then TEP 200 adds a point to the effectiveness factor (224) and proceeds to step 226. TEP 200 then calculates the effectiveness factor by summing all of the points added to the effectiveness factor (226). TEP 200 sends the modified template and the effectiveness factor to TAP 300 (228) then ends (230).

[0039] FIGS. 4-9 illustrate the ROI templates used by a consultant in modeling grid computing systems. Grid computing systems are computer systems which break up applications into small processing jobs and distribute the smaller processing jobs to a plurality of computer CPUs based on the CPUs' idle time. Thus, an application can be processed faster without a noticeable decrease in computer network performance. The parameters which are required for the default template for a grid computing system are asset costs (FIG. 4), operating costs (FIG. 5), labor rates and wages (FIG. 6), execution information about the applications (FIG. 7), information regarding the company's computers and other resources (FIG. 8), and information regarding the company's layout of computers to applications (FIG. 9). While grid computing ROI templates are used to illustrate the present invention, the present invention may be applied to any type of template or other tool used to model a process.

[0040] Turning to FIGS. 4-6, parameters 132 for default template 130 are illustrated. Parameters 132 are default data populated into the template based on the customer's location and industry. A consultant may modify the value of parameters 132 in default template 130 to create a modified template. A consultant would modify the value of parameters 132 in order to create a more accurate ROI scenario for the customer.

[0041] Turning to FIG. 7, the value of parameters **134** for applications in default template **130** is illustrated. Applications are computer applications which run on the customer's computers. Parameters **134** are populated in the template based on the customer's location, industry, and characteristics of the applications.

[0042] Turning to FIG. 8, the value of parameters **136** for computers in default template **130** is illustrated. Computers are the machines which run on the customer's applications. Parameters **136** are populated in the template based on the customer's location, industry, and characteristics of the computers.

[0043] Turning to FIG. 9, a simplified version of layout **138** of the customer's IT connectivity is illustrated. Layout **138** depicts the correlation between the computers and the applications. Layout **138** is an example of another type of parameter and is populated in the template based on the customer's location, industry, and characteristics of the computers and applications.

[0044] Turning to FIG. 10, the logic of Template Analysis Program (TAP) **300** is illustrated. TAP **300** is a program that analyses the modified templates, updates the default template, and creates new templates. TAP **300** starts (**302**) anytime the user wants to update the default template and possibly create a new template. The user must define a template creation threshold so that TAP **300** knows when to create a new template (**304**). Alternatively, TAP **300** can use a default threshold such as a greater number of data points at a second peak than at the default template value. TAP **300** then develops a data list from the modified templates and their effectiveness factors (**306**). The data list is developed from the parameter values in the modified template. In developing the data list, TAP **300** weights the data in the modified templates according to their effectiveness factors. Weighting the modified template data allows the

modified templates with the higher effectiveness factors to be given more weight in analysis than the modified templates with lesser effectiveness factors. One method for weighting the modified template values is to multiply the occurrence of a modified template value by the effectiveness factor. Using this method, the data in a modified template with an effectiveness factor of two would be recorded twice and the data in a modified template with an effectiveness factor of one would be recorded once. Persons of ordinary skill in the art are aware of other methods of weighting effectiveness factors and data points.

[0045] After the data list has been developed, TAP 300 plots the data for each parameter on a histogram (308). A histogram is a chart displaying the frequency of data points for each parameter. The present invention plots the data on a type of histogram in which each axis is a parameter. Therefore, the histogram will have one axis for every parameter in the default template. Each of the axes for the histogram is orthogonal to the other axes such that the data from each modified template may be plotted in multi-dimensional space within the computer's memory. For the sake of simplicity of illustration of a histogram, FIGS. 11 and 12 illustrate examples of histograms for a single parameter. TAP 300 then performs a statistical analysis of the data points for each parameter (310). Persons of ordinary skill in the art are aware of methods for performing a statistical analysis on a set of data including calculating the average, median, mode, norm, standard deviation, and/or variance. TAP 300 then analyzes the first parameter (312) and determines if the histogram contains more than one peak (314). FIG. 11 depicts a histogram with one peak. FIG. 12 depicts a histogram with more than one peak. Returning to FIG. 10, if TAP 300 determines that the parameter contains only one peak, then TAP 300 averages the data points with the default template parameter value to create an updated template parameter value (316) and proceeds to step 330.

[0046] If at step 314, TAP 300 determines that the parameter contains more than one peak, TAP 300 makes a determination whether one peak is within one standard deviation of the default template parameter value (318). A user may choose to define the threshold value as other than one standard deviation. If one peak is not within one standard deviation of the default template parameter value, then TAP 300 performs a statistical analysis on each peak (322). If one peak is within one standard deviation of the default template parameter value, then TAP 300 averages the data points associated with that peak into the default template parameter value (320). Persons of ordinary skill in the art are aware of methods for separating the data points associated with a first peak from the data points associated with a second peak in a histogram. TAP 300 then performs a statistical analysis for each of the remaining peaks (324) and proceeds to step 326.

[0047] At step 326, TAP 300 determines if the standard deviation for the peaks analyzed in steps 322 or 324 is less than the template creation threshold (326). The template creation threshold is calculated by determining if there are more than some number, n, of successful templates within a deviation from a newly found peak. If the standard deviation for the analyzed peaks is not less than the template creation threshold, then TAP 300 proceeds to step 330. If the standard deviation for the analyzed peaks is less than the template creation threshold, then TAP 300 creates a new template using the average from the analyzed peaks (328). If a new template was created when TAP 300 iterated through steps 314 - 332 for a previous parameter, then TAP 300 can save the average from the analyzed peaks as a new default parameter value in the template created on the previous iteration. At step 330, TAP 300 determines if there are any parameters remaining in the default template (330). If there are parameters remaining, then TAP

**300** goes to the next parameter (**332**) and returns to step **314**. If there are not any parameters remaining, then TAP **300** ends (**334**).

**[0048]** With respect to the above description, it is to be realized that the optimum dimensional relationships for the parts of the invention, including variations in size, materials, shape, form, function, manner of operation, assembly, and use, are deemed readily apparent and obvious to one of ordinary skill in the art. All equivalent relationships to those illustrated in the drawings and described in the specification are intended to be encompassed by the present invention. The novel spirit of the present invention is still embodied by reordering or deleting some of the steps contained in this disclosure. The spirit of the invention is not meant to be limited in any way except by proper construction of the following claims.